

Contents

Letters to the Editor

- The origin of the different Wolf-Rayet subtypes
Langer, N. L1
- Pluto eclipses of and by Charon must be unequal
Mulholland, J.D., Gustafson, B.A.S. L5
- Measurement of lithium abundance in dwarf stars of M 67
Spite, F., Spite, M., Peterson, R.C., Chaffee Jr., F.H. L8

Cosmology

- Role of baryonic density on radiation fluctuation in an ino-
dominated Universe
Hansel, D., Ramani, A., Pellat, R. 1
- The $^{189}\text{Os}(n, \gamma)$ cross section and implications for the du-
ration of stellar nucleosynthesis
Winters, R.R., Macklin, R.L., Hershberger, R.L. 9

Extragalactic astronomy

- Tidal triggering of Seyfert galaxies and quasars: occurrence
in multiple systems
Byrd, G.G., Sundelius, B., Valtonen, M. 16
- The active galaxy PKS 0521-36 and its optical jet
Cayatte, V., Sol, H. 25
- H I observations of galaxies in a catalog of nearby galaxies.
II. The motion of the Sun and the Galaxy and the velocity
dispersion of "field" galaxies
Richter, O.-G., Tammann, G.A., Huchtmeier, W.K. 33
- Study of multiple nucleus galaxies. II. Mkn 739
Netzer, H., Kollatschny, W., Fricke, K.J. 41
- A gravitational lens origin for AGN-variability? Con-
sequences of micro-lensing
Schneider, P., Weiss, A. 49
- (RN) Limits on the cool gas content of NGC 1275 and
M 87
Jaffe, W. 378

Galactic structure and dynamics

- Surface photometry of the edge-on galaxy NGC 1381
de Carvalho, R.R., da Costa, L.N. 66

Stellar clusters and associations

- Empirical colour-metallicity relations for Population II gi-
ant stars
Martinez Roger, C. 77

Formation, structure and evolution of stars

- Search for pulsed emission of very high energy gamma rays
from Geminga
*Bhat, P.N., Gopalakrishnan, N.V.,
Ramana Murthy, P.V., Swaminathan, S.,
Vishwanath, P.R.* 84
- An implicit stellar evolution code, with an application to
main-sequence evolution
van der Linden, T.J. 87
- Contact binary models with dissipative heating
Matraka, B. 95
- T Tauri stars and dust clouds in a region of the Gum ne-
bula
Pettersson, B. 101
- Optical and infrared observations of two oxygen-rich un-
identified IRAS sources
Le Bertre, T., Epchtein, N. 116
- Effects of cosmions in the Sun and in globular cluster
stars
Renzini, A. 121
- Studies of early-type variable stars. IV. The orbit and
physical dimensions for V 373 Cas
Hill, G., Fisher, W.A. 123
- The Fourier coefficients derived from the decomposition
of pulsating star light curves
Antonello, E., Broglia, P., Conconi, P., Mantegazza, L. 131
- New evidence at X-ray and COS-B γ -ray frequencies for
non-thermal phenomena in Wolf-Rayet stars
Pollock, A.M.T. 135
- Soft X-ray transients and the evolution of low mass X-ray
binaries
Hameury, J.M., King, A.R., Lasota, J.P. 140
- CCD observations of jets from young stars
Ray, T.P. 145
- The radio luminosity of pulsars
Stollman, G.M. 152

The frequency of triple and multiple stellar systems <i>Mayor, M., Mazeh, T.</i>	157	Extinction and reddening towards compact Galactic H II regions <i>Cox, P., Deharveng, L., Caplan, J.</i>	277
(RN) The ultraviolet gallium stars <i>Jaschek, M., Jaschek, C.</i>	380	The reddening and distance of Scorpius X-1 <i>Knude, J.</i>	289
Stellar atmospheres		CO ($J=4-3$) submillimeter map of M17SW <i>Schulz, A., Krügel, E.</i>	297
Radio continuum spectra of compact planetary nebulae: a wind-shell model <i>Taylor, A.R., Pottasch, S.R., Zhang, C.Y.</i>	178	The Sun	
Improved non-LTE Balmer-line profiles for hot stars <i>Herrero, A.</i>	189	Center-to-limb variation of Stokes profiles and the diagnostics of solar magnetic fluxtubes <i>Stenflo, J.O., Solanki, S.K., Harvey, J.W.</i>	305
Dust formation in stellar winds. III. Self-consistent models for dust-driven winds around C-stars <i>Gail, H.P., Sedlmayr, E.</i>	197	The solar system	
Diffuse matter in space (including H II regions and planetary nebulae)		Density and brightness distribution of cometary dust tails <i>Richter, K., Keller H.U.</i>	317
The radio structure of supernova remnants <i>Manchester, R.N.</i>	205	A new approach to the Finson-Probstein method of interpreting cometary dust tails <i>Fulle, M.</i>	327
Eight-colour photometry of stars associated with selected Sharpless H II regions at $l^{\text{II}} \approx 190^\circ$: S252, S254, S255, S257, and S261 <i>Chavarria-K, C., de Lara, E., Hasse, I.</i>	216	Celestial mechanics and astrometry	
The fragmentation of molecular clouds: I. The mass-radius-velocity dispersion relations <i>Chièze, J.P.</i>	225	The calibration problem. I. Estimation of mean absolute magnitude using trigonometric parallaxes <i>Smith Jr., H.</i>	336
The structure and dynamics of young supernova remnants: new constraints from observations of shock-heated dust <i>Braun, R.</i>	233	The calibration problem. II. Trigonometric parallaxes selected according to proper motion and the problem of statistical parallaxes <i>Smith Jr., H.</i>	342
CO $J=3-2$ observations of M17: the interaction of an expanding shock front with molecular clouds <i>Rainey, R., White, G.J., Gatley, I., Hayashi, S.S., Kaifu, N., Griffin, M.J., Monteiro, T.S., Cronin, N.J., Scivetti, A.</i>	252	Physical and chemical processes	
Southern H II regions: an extensive study of radio recombination line emission <i>Caswell, J.L., Haynes, R.F.</i>	261	Turbulent transport of magnetic fields. I. A simple mechanical model <i>Hoyng, P.</i>	348
		Turbulent transport of magnetic fields. II. The role of fluctuations in kinematic theory <i>Hoyng, P.</i>	357
		Anomalous Zeeman effect and its influence on the line absorption and dispersion coefficients <i>Mathys, G., Stenflo, J.O.</i>	368
		Thesaurus of key words used in the annual subject indexes	384

